

Safety Data Sheet

ADS Foamer 1

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

Product name:	ADS Foamer 1	SDS Number: 0173
Distributor:	Appalachian Drilling Services, Inc. 105 Industrial Park Road Beech Creek, PA 16822 United States	
Telephone:	570-907-0136	
Telefax:	570-907-0146	
CHEMTREC:	800-424-9300	

2. HAZARDS IDENTIFICATION

Appearance and Odor:

Form: Liquid

Color: Amber

Odor: Mild alcohol

Potential Health Effects:

Eye: May cause temporary redness and discomfort.

Skin: May cause mild irritation.

Inhalation: Causes irritation to the respiratory tract

Oral: Low ingestion hazard in normal use

Prolonged/Repeated Exposure Effects:

Skin: No known applicable information.

Inhalation: No known applicable information.

Oral: No known applicable information.

Signs and Symptoms of Overexposure: No known applicable information.

Medical Conditions Aggravated by Exposure: No known applicable information.

The above listed potential effects of overexposure are based on actual data, results of studies performed upon similar compositions, component data and/or expert review of the product. Please refer to Section 11 for the detailed toxicology information.

SAFETY DATA SHEET
ADS Foamer 1

3. COMPOSITION / INFORMATION OF INGREDIENTS

Product ID	CAS Number	Weight %
Dipropylene glycol monomethyl ether	34590-94-8	10-20

4. FIRST AID MEASURES

Inhalation: If symptoms are experienced remove source of contamination or move victim to fresh air. If irritation persists, obtain medical advice.

Skin contact: No health effects expected. If irritation does occur flush with lukewarm, gently flowing water for 5 minutes. If irritation persists obtain medical advice.

Eye contact: Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 30 minutes while holding the eyelid(s) open. If contact lens is present DO NOT delay irrigation or attempt to remove the lens. Neutral saline solution may be used as soon as available. Do not interrupt flushing. If necessary, continue flushing during transport to emergency care facility. Take care not to rinse contaminated water into the unaffected eye or onto the face. Obtain medical attention.

Oral: If irritation or discomfort occur, obtain medical advice.

Notes to physician: Treat according to person's condition and specifics of exposure.

5. FIRE FIGHTING MEASURES

Suitable extinguishing media: On large fires use dry chemical or foam. On small fires use carbon dioxide (CO₂), dry chemical. Water can be used to cool fire exposed containers.

Flash point: >212 °F / >100 °C (Cleveland Open Cup)

Autoignition temperature: 260C (DPM)

Flammability limits in air: Not determined

Fire fighting measures: Self-contained breathing apparatus and protective clothing should be worn in fighting large fires involving chemicals. Determine the need to evacuate or isolate the area according to your local emergency plan. Use water spray to keep fire exposed containers cool.

Unusual fire hazards: None.

6. ACCIDENTAL RELEASE MEASURES

Containment/Clean up: Determine whether to evacuate or isolate the area according to your local emergency plan. Observe all personal protection equipment recommendations described in Sections 5 and 8. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbant. Clean area as appropriate since spilled materials, even in small quantities, may present a slip hazard. Final cleaning may require use of steam, solvents or detergents. Dispose of saturated absorbant or cleaning materials appropriately, since spontaneous heating may occur. Local, state and federal laws and regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which federal, state and local laws and regulations are applicable. Sections 13 and 15 of this MSDS provide information regarding certain federal and state requirements.

Note: See Section 8 for Personal Protective Equipment for Spills.

SAFETY DATA SHEET
ADS Foamer 1

7. HANDLING AND STORAGE

Use with adequate ventilation. Do not get in eyes. Avoid skin contact. Do not take internally.

Use reasonable care and store away from oxidizing materials.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits:

A NIOSH/MSHA approved respirator equipped with organic canister is recommended if exposure exceeds the recommended levels or limits of exposure.

Engineering Controls:

Local Ventilation: None should be needed.

General Ventilation: Recommended

Personal protective equipment for routine handling:

Eyes: Use proper protection- safety glasses as a minimum.

Skin: Wash at mealtime and end of shift. Contaminated clothing and shoes should be removed as soon as practical and thoroughly cleaned before reuse. Chemical protective gloves are recommended.

Suitable Gloves: Avoid skin contact by implementing good industrial hygiene practices and procedures. Select and use gloves and/or protective clothing to further minimize the potential for skin contact, Consult with your glove and/or personal protective equipment manufacturer for selection of appropriate compatible materials.

Inhalation: No respiratory protection should be needed below recommended exposure limits.

Suitable respirator: A NIOSH/MSHA approved respirator equipped with organic canister is recommended if exposure exceeds the recommended levels or limits of exposure.

Personal Protective Equipment for Spills:

Eyes: Use proper protection- safety glasses a minimum

Skin: Wash at mealtime and end of shift.

Inhalation/Suitable respirator: No respiratory protection should be needed below recommended exposure limits.

Precautionary measures: Do not get in eyes. Avoid skin contact. Do not take internally. Use reasonable care.

Note: These precautions are for room temperature handling. Use at elevated temperature or aerosol/spray applications may require added precautions.

SAFETY DATA SHEET
ADS Foamer 1

9. PHYSICAL AND CHEMICAL PROPERTIES

Form: Liquid

Color: Clear amber to slightly opaque

Odor: Mild alcohol

pH: 6.8

Specific gravity @ 25°C: 1.06

Freezing/Melting point: -15° F

Boiling point: Not determined

Flash point: >100 C (Cleveland Open Cup)

Auto-ignition temperature: Not determined

Viscosity: <1000 cps

Water solubility: Soluble

Vapor pressure @ 20° C: 0.41 mm Hg as active DPM

Vapor density: Not determined.

Volatile content: Not determined.

Flammability limits in air: Not determined.

Evaporation rate: Not determined.

Note: The above information is not intended for use in preparing product specifications.

10. STABILITY AND REACTIVITY

Stability: Stable.

Hazardous polymerization: Hazardous polymerization will not occur.

Conditions to avoid: None.

Materials to avoid: Oxidizing material can cause a reaction.

Hazardous decomposition products: Thermal breakdown of this product during fire or very high heat conditions may evolve the following decomposition products: Sulfur oxides, carbon oxides and traces of incompletely burned carbon compounds.

SAFETY DATA SHEET ADS Foamer 1

11. TOXICOLOGICAL INFORMATION

Component Toxicology Information

LD50 Oral Rat:

Special Hazard Information on Components

No known applicable information.

12. ECOLOGICAL INFORMATION

Environmental fate and distribution: Complete information is not yet available.

Environmental effects: Complete information is not yet available

Fate and effects in waste water treatment: Complete information is not yet available.

13. DISPOSAL CONSIDERATIONS

RCRA Hazard Class (40 CFR 261)

When a decision is made to discard this material, as received, is it classified as a hazardous waste? **No**
State or local laws may impose additional regulatory requirements regarding disposal.

14. TRANSPORTATION REGULATIONS

DOT Road Shipment Information (49 CFR 172.101): Not subject to DOT.

Ocean Shipment (IMDG): Not subject to IMDG code.

Air Shipment (IATA): Not subject to IATA regulations.

SAFETY DATA SHEET
ADS Foamer 1

15. REGULATORY INFORMATION

Contents of this MSDS comply with the OSHA Hazard Communication Standard 29 CFA 1910.1200.

TSCA Status: All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

EPA SARA Title III Chemical Listings

Section 302 Extremely Hazardous Substances (40 CFR 335): None

Section 304 CERCLA Hazardous Substances (40 CFR 302): None

Section 311/312 Hazard Class (40 CFR 370):

Immediate Acute: Yes

Delayed (chronic): No

Fire Hazard: No

Reactive Hazard: No

Sudden release of pressure hazard: No.

Section 313 Toxic Chemicals (40 CFR 372): None present or none present in regulated quantities.

Note: Chemicals are listed under the 313 Toxic Chemicals Section only if they meet or exceed a reporting threshold.

Supplemental State Compliance Information

California

Warning: This product contains the following chemical(s) listed by the State of California under the Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65) as being known to cause cancer, birth defects or other reproductive harm.

None known.

16. OTHER INFORMATION

NFPA:

Health: 2

Flammability: 1

Instability: 0



Note: NFPA= National Fire Protection Agency

Prepared by: Appalachian Drilling Services, Inc.

These data are offered in good faith as typical values and not as product specifications. No warranty, either expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.

Revised January 28, 2015, S. Bowser

<http://www.appalachianusa.com>

